

॥ जय स्वामीनारायण ॥

DEWAYU

WINDOW & DOOR SYSTEM



AIMING FOR EXCELLENCE TO BRING FORTH FLAWLESS VISION.

CATALOG 2026



Gulf Series



HINDALCO
EXTRUSIONS

ARCHITECTURAL PRODUCTS

WE MANUFACTURE MATERIALS THAT MAKE THE WORLD GREENER - STRONGER - SMARTER

IDENTITY AT A **GLANCE**

"Within the esteemed realm of Laxmi Aluminium, our brand **DEVAYU** stands as a beacon of excellence, offering a distinguished array of premium aluminum doors, windows, and sliding systems meticulously crafted from superior-grade materials. Our creations seamlessly integrate with contemporary architectural landscapes, elevating spaces with both form and function.

The magnetic allure of our Aluminum offerings lies in their unparalleled resilience, engineered to withstand formidable forces and endure the test of time. Harnessing the adaptability of this versatile metal, we engineer bespoke window and door systems that not only meet but exceed the expectations of discerning fabricators, installers, and end-users nationwide.

DEVAYU Aluminum profiles epitomize a standard of excellence, characterized by a myriad of compelling attributes. From their robust construction to their hassle-free maintenance, these profiles epitomize longevity and reliability. Moreover, our **DEVAYU** Doors and Windows Systems boast non-flammability, colorfastness, and complete recyclability. With a diverse range of sizes catering to



Laxmi Aluminium

📍 Survey no. 286/001 B/h, Lubi Electronics, Nr. Shyam Status, S.P. Ring Road
AT-Valad, DIS-Gandhinagar. Gujarat 382355

📞 +91 9428411799 | +91 7698411199 | +91 9979875499 | +91 7698311199

laxmialuminium1199@gmail.com




DEVAYU
WINDOW & DOOR SYSTEM

HINDALCO
EXTRUSIONS

EFFICIENT ASSEMBLY, OPTIMAL QUALITY

"At the core of our identity lies a commitment to excellence in every detail. Our latest window system fitting embodies this ethos, continually refined to perfection from a sorting perspective. We take pride in our unmatched manufacturing and processing speeds for Aluminum window systems, delivering exceptional quality without compromise.


*** **This Catalog Section Weight (+ - 5 %)** ***



SALES NETWORK




SALES NETWORK ALL GUJARAT



Laxmi Aluminium

📍 Survey no. 286/001 B/h, Lubi Electronics, Nr. Shyam Status, S.P. Ring Road
AT-Valad, DIS-Gandhinagar. Gujarat 382355
📞 +91 9428411799 | +91 7698411199 | +91 9979875499 | +91 7698311199
✉ laxmialuminium1199@gmail.com





2 TRACK 2 SHUTTER



2 TRACK 3 SHUTTER



2 TRACK 4 SHUTTER




3 TRACK 3 SHUTTER




3 TRACK 6 SHUTTER



4 TRACK 4 SHUTTER



4 TRACK 8 SHUTTER



BENEFITS



Air Permeability



Impact Resistance



Water Tightness



Wind Load



Sound Insulation



Fire Resistance



Anti Theft




Laxmi Aluminium

Survey no. 286/001 B/h, Lubi Electronics, Nr. Shyam Status, S.P. Ring Road
AT-Valad, DIS-Gandhinagar. Gujarat 382355


+91 9428411799 | +91 7698411199 | +91 9979875499 | +91 7698311199

laxmialuminium1199@gmail.com







G-2529 - 0.920 kg/m



G-2531 - 1.715 kg/m



G-2530 - 1.318 kg/m



G-2532 - 0.695 kg/m




G-2534 - 1.219 kg/m



G-2533 - 0.957 kg/m



G-2540 - 0.138 kg/m



G-2542 - 0.183 kg/m



G-1009 - 0.188 kg/m



G-2541 - 0.103 kg/m

FEATURES

| | |
|----------------------|--|
| Shutter Depth | : 25 mm |
| Locking Type | : Single & Multipoint Lock with Handle |
| Glass Range | : 5 mm To 8 mm |
| Canter Opening | : Yes |
| Window Height (Max.) | : 2135 mm |
| Roller Capacity | : 40/60/80/125/150 kg/pair |




Laxmi Aluminium


Survey no. 286/001 B/h, Lubi Electronics, Nr. Shyam Status, S.P. Ring Road
AT-Valad, DIS-Gandhinagar, Gujarat 382355

+91 9428411799 | +91 7698411199 | +91 9979875499 | +91 7698311199

laxmialuminium1199@gmail.com




G-2545 - 0.812 kg/m




G-2547 - 0.819 kg/m




G-2548 - 0.999 kg/m



G-2549 - 0.370 kg/m



G-2546 - 0.475 kg/m



G-2510 - 0.412 kg/m

FEATURES

| | |
|----------------------|--|
| Shutter Depth | : 25 mm |
| Locking Type | : Single & Multipoint Lock with Handle |
| Glass Range | : 5 mm To 8 mm |
| Canter Opening | : Yes |
| Window Height (Max.) | : 2135 mm |
| Roller Capacity | : 40/60/80/125/150 kg/pair |




Laxmi Aluminium


Survey no. 286/001 B/h, Lubi Electronics, Nr. Shyam Status, S.P. Ring Road
AT-Valad, DIS-Gandhinagar, Gujarat 382355

+91 9428411799 | +91 7698411199 | +91 9979875499 | +91 7698311199


laxmialuminium1199@gmail.com




G-2723 - 0.938 kg/m



G-2728 - 1.749 kg/m




G-2725 - 1.344 kg/m



G-2724 - 0.708 kg/m



G-2729 - 1.243 kg/m



G-2726 - 0.976 kg/m



G-2540 - 0.138 kg/m



G-2542 - 0.183 kg/m



G-1009 - 0.188 kg/m



G-2541 - 0.103 kg/m

FEATURES

| | |
|----------------------|--|
| Shutter Depth | : 27 mm |
| Locking Type | : Single & Multipoint Lock with Handle |
| Glass Range | : 5 mm To 18 mm |
| Canter Opening | : Yes |
| Window Height (Max.) | : 2286mm |
| Roller Capacity | : 40/60/80/125/150 kg/pair |




Laxmi Aluminium


Survey no. 286/001 B/h, Lubi Electronics, Nr. Shyam Status, S.P. Ring Road
AT-Valad, DIS-Gandhinagar. Gujarat 382355

+91 9428411799 | +91 7698411199 | +91 9979875499 | +91 7698311199


laxmialuminium1199@gmail.com




G-2745 - 0.786 kg/m




G-2717 - 0.266 kg/m




G-2749 - 0.858 kg/m



G-2746 - 0.505 kg/m



G-2748 - 0.288 kg/m



G-2747 - 0.848 kg/m

FEATURES

| | |
|----------------------|--|
| Shutter Depth | : 27 mm |
| Locking Type | : Single & Multipoint Lock with Handle |
| Glass Range | : 5 mm To 18 mm |
| Center Opening | : Yes |
| Window Height (Max.) | : 2286mm |
| Roller Capacity | : 40/60/80/125/150 kg/pair |




Laxmi Aluminium


Survey no. 286/001 B/h, Lubi Electronics, Nr. Shyam Status, S.P. Ring Road
AT-Valad, DIS-Gandhinagar. Gujarat 382355

+91 9428411799 | +91 7698411199 | +91 9979875499 | +91 7698311199


laxmialuminium1199@gmail.com




G-2935 - 0.957 kg/m



G-2939 - 1.785 kg/m




G-2937 - 1.370 kg/m



G-2936 - 0.722 kg/m




G-2940 - 1.268 kg/m



G-2938 - 0.995 kg/m



G-2540 - 0.138 kg/m



G-2542 - 0.183 kg/m



G-1009 - 0.188 kg/m



G-2541 - 0.103 kg/m

FEATURES

| | |
|----------------------|--|
| Shutter Depth | : 29 mm |
| Locking Type | : Single & Multipoint Lock with Handle |
| Glass Range | : 5 mm To 24 mm |
| Canter Opening | : Yes |
| Window Height (Max.) | : 2440 mm |
| Roller Capacity | : 40/60/80/125/150 kg/pair |




Laxmi Aluminium


Survey no. 286/001 B/h, Lubi Electronics, Nr. Shyam Status, S.P. Ring Road
AT-Valad, DIS-Gandhinagar, Gujarat 382355

+91 9428411799 | +91 7698411199 | +91 9979875499 | +91 7698311199


laxmialuminium1199@gmail.com




G-2945 - 1.090 kg/m




G-2915 - 0.413 kg/m




G-2949 - 0.762 kg/m



G-2946 - 0.516 kg/m



G-2948 - 0.373 kg/m



G-2947 - 0.864 kg/m

FEATURES

| | |
|----------------------|--|
| Shutter Depth | : 29 mm |
| Locking Type | : Single & Multipoint Lock with Handle |
| Glass Range | : 5 mm To 24 mm |
| Canter Opening | : Yes |
| Window Height (Max.) | : 2440 mm |
| Roller Capacity | : 40/60/80/125/150 kg/pair |




Laxmi Aluminium

Survey no. 286/001 B/h, Lubi Electronics, Nr. Shyam Status, S.P. Ring Road
AT-Valad, DIS-Gandhinagar, Gujarat 382355


+91 9428411799 | +91 7698411199 | +91 9979875499 | +91 7698311199

laxmialuminium1199@gmail.com




G-4001

101938 - 2.269 kg/m




G-4002

101931 - 1.746 kg/m




G-4003

101939 - 3.621 kg/m




G-4004

101932 - 2.439 kg/m



G-4005

101940 - 4.693 kg/m



G-4006

101933 - 3.130 kg/m

FEATURES

| | |
|----------------------|--|
| Shutter Depth | : 40 mm |
| Locking Type | : Single & Multipoint Lock with Handle |
| Glass Range | : 5 mm To 30 mm |
| Center Opening | : Yes |
| Window Height (Max.) | : 3352 mm |
| Roller Capacity | : 200/250/300/350/450 kg/pair |




Laxmi Aluminium


Survey no. 286/001 B/h, Lubi Electronics, Nr. Shyam Status, S.P. Ring Road
AT-Valad, DIS-Gandhinagar, Gujarat 382355

+91 9428411799 | +91 7698411199 | +91 9979875499 | +91 7698311199


laxmialuminium1199@gmail.com



HINDALCO
EXTRUSIONS




G-4007
101937 - 1.413 kg/m




G-4008
101936 - 1.504 kg/m




G-1009 - 0.192 kg/m




G-4011
101941 - 0.969 kg/m



G-4009
101935 - 1.206 kg/m



G-4010
101934 - 2.438 kg/m



G-4012 - 0.321 kg/m

FEATURES

| | |
|----------------------|--|
| Shutter Depth | : 40 mm |
| Locking Type | : Single & Multipoint Lock with Handle |
| Glass Range | : 5 mm To 30 mm |
| Canter Opening | : Yes |
| Window Height (Max.) | : 3352 mm |
| Roller Capacity | : 200/250/300/350/450 kg/pair |



Laxmi Aluminium

Survey no. 286/001 B/h, Lubi Electronics, Nr. Shyam Status, S.P. Ring Road
AT-Valad, DIS-Gandhinagar. Gujarat 382355

+91 9428411799 | +91 7698411199 | +91 9979875499 | +91 7698311199

laxmialuminium1199@gmail.com



HINDALCO
EXTRUSIONS



Gulf Series

KIN LONG
For Better Living



Laxmi Aluminium

Survey no. 286/001 B/h, Lubi Electronics, Nr. Shyam Status, S.P. Ring Road
AT-Valad, DIS-Gandhinagar, Gujarat 382355

+91 9428411799 | +91 7698411199 | +91 9979875499 | +91 7698311199

laxmialuminium1199@gmail.com

