

॥ जय स्वामीनारायण ॥

DEWAYU

WINDOW & DOOR SYSTEM



CATALOG 2026

AIMING FOR EXCELLENCE TO BRING FORTH FLAWLESS VISION.




Vantena Series




HINDALCO
EXTRUSIONS

ARCHITECTURAL PRODUCTS



WE MANUFACTURE MATERIALS THAT MAKE THE WORLD GREENER - STRONGER - SMARTER



IDENTITY AT A **GLANCE**

"Within the esteemed realm of Laxmi Aluminium, our brand **DEVAYU** stands as a beacon of excellence, offering a distinguished array of premium aluminum doors, windows, and sliding systems meticulously crafted from superior-grade materials. Our creations seamlessly integrate with contemporary architectural landscapes, elevating spaces with both form and function.

The magnetic allure of our Aluminum offerings lies in their unparalleled resilience, engineered to withstand formidable forces and endure the test of time. Harnessing the adaptability of this versatile metal, we engineer bespoke window and door systems that not only meet but exceed the expectations of discerning fabricators, installers, and end-users nationwide.

Aluminum profiles epitomize a standard of excellence, characterized by a myriad of compelling attributes. From their robust construction to their hassle-free maintenance, these profiles epitomize longevity and reliability. Moreover, our Doors and Windows Systems boast non-flammability, colorfastness, and complete recyclability. With a diverse range of sizes catering to varied needs, our products stand as a testament to superior strength and load-bearing capacity.

DEVAYU Committed to surpassing industry benchmarks, each creation embodies unparalleled performance and unmistakable elegance, setting new standards in both form and function.

DEVAYU



Laxmi Aluminium

📍 Survey no. 286/001 B/h, Lubi Electronics, Nr. Shyam Status, S.P. Ring Road
AT-Valad, DIS-Gandhinagar. Gujarat 382355

📞 +91 9428411799 | +91 7698411199 | +91 9979875499 | +91 7698311199

laxmialuminium1199@gmail.com






DEVAYU
WINDOW & DOOR SYSTEM

HINDALCO
EXTRUSIONS

EFFICIENT ASSEMBLY, OPTIMAL QUALITY

“At the core of our identity lies a commitment to excellence in every detail. Our latest window system fitting embodies this ethos, continually refined to perfection from a sorting perspective. We take pride in our unmatched manufacturing and processing speeds for Aluminum window systems, delivering exceptional quality without compromise.”


*** This Catalog Section Weight (+ - 5 %) ***



SALES NETWORK



SALES NETWORK ALL GUJARAT



Laxmi Aluminium


Survey no. 286/001 B/h, Lubi Electronics, Nr. Shyam Status, S.P. Ring Road
AT-Valad, DIS-Gandhinagar. Gujarat 382355

+91 9428411799 | +91 7698411199 | +91 9979875499 | +91 7698311199

laxmialuminium1199@gmail.com



HINDALCO EXTRUSIONS



2 TRACK 2 SHUTTER



2 TRACK 3 SHUTTER



2 TRACK 4 SHUTTER




3 TRACK 3 SHUTTER




3 TRACK 6 SHUTTER



4 TRACK 4 SHUTTER



4 TRACK 8 SHUTTER



BENEFITS



Air Permeability



Impact Resistance



Water Tightness



Wind Load



Sound Insulation



Fire Resistance



Anti Theft




Laxmi Aluminium

Survey no. 286/001 B/h, Lubi Electronics, Nr. Shyam Status, S.P. Ring Road
AT-Valad, DIS-Gandhinagar. Gujarat 382355


+91 9428411799 | +91 7698411199 | +91 9979875499 | +91 7698311199

laxmialuminium1199@gmail.com







2211 - 0.672 kg/m




2212 - 0.947 kg/m




2214 - 0.553 kg/m




2213 - 0.562 kg/m




2215 - 0.269 kg/m




2205 - 0.616 kg/m




1003 - 0.778 kg/m



1008 - 0.779 kg/m



2216 - 0.616 kg/m



1001 - 0.076 kg/m

FEATURES

- Shutter Depth : 22 mm
- Locking Type : Single point Lock
- Glass Range : 5 mm To 8 mm
- Center Opening : No
- Window Height (Max.) : 2135mm
- Roller Capacity : 60/90 kg/pair




Laxmi Aluminium


Survey no. 286/001 B/h, Lubi Electronics, Nr. Shyam Status, S.P. Ring Road
AT-Valad, DIS-Gandhinagar. Gujarat 382355

+91 9428411799 | +91 7698411199 | +91 9979875499 | +91 7698311199


laxmialuminium1199@gmail.com




2509 - 0.431 kg/m




2503 - 1.496 kg/m
101558 - 1.238 kg/m




2504
101560 - 1.555 kg/m




2525 - 0.264 kg/m




2502 -
101555 - 0.792 kg/m



1009 - 0.192 kg/m




2501 - 0.945 kg/m
101553 - 1.012 kg/m




1003 - 0.778 kg/m




2541 - 0.103 kg/m



2527 - 0.914 kg/m




1002 - 0.435 kg/m



2526 - 0.583 kg/m



2542 - 0.183 kg/m



2528 - 1.233 kg/m

FEATURES

- Shutter Depth : 25 mm
- Locking Type : Single & Multipoint Lock with Handle
- Glass Range : 5 mm To 8 mm
- Center Opening : Yes
- Window Height (Max.) : 2135mm
- Roller Capacity : 80/120/150 kg/pair



Laxmi Aluminium



Survey no. 286/001 B/h, Lubi Electronics, Nr. Shyam Status, S.P. Ring Road
AT-Valad, DIS-Gandhinagar, Gujarat 382355

+91 9428411799 | +91 7698411199 | +91 9979875499 | +91 7698311199


laxmialuminium1199@gmail.com




HINDALCO
EXTRUSIONS




2505 - 0.812 kg/m
101556 - 0.741 kg/m




2512 - 0.816 kg/m




2506 - 0.999 kg/m
101557 - 0.975 kg/m




2507 - 0.482 kg/m
101559 - 0.461 kg/m



1005 - 0.604 kg/m
101562



2510 - 0.412 kg/m



2508 - 0.391 kg/m
101554 - 0.368 kg/m



1001 - 0.076 kg/m

FEATURES

- Shutter Depth : 25 mm
- Locking Type : Single & Multipoint Lock with Handle
- Glass Range : 5 mm To 8 mm
- Center Opening : Yes
- Window Height (Max.) : 2135mm
- Roller Capacity : 80/120/150 kg/pair




Laxmi Aluminium

Survey no. 286/001 B/h, Lubi Electronics, Nr. Shyam Status, S.P. Ring Road
AT-Valad, DIS-Gandhinagar. Gujarat 382355


+91 9428411799 | +91 7698411199 | +91 9979875499 | +91 7698311199

laxmialuminium1199@gmail.com







2701 - 0.495 kg/m




2702 - 0.706 kg/m
100366 - 0.725 kg/m




2703 - 1.306 kg/m
100367 - 1.172 kg/m




2718 -
101046 - 2.193 kg/m




2707 - 0.815 kg/m
101047 - 0.716 kg/m




2719 -
100368 - 0.711 kg/m




2706 - 0.858 kg/m
101052 - 0.754 kg/m




2714 - 0.711 kg/m
100368



1003 - 0.778 kg/m




2717 - 0.266 kg/m



1002 - 0.435 kg/m



1001 - 0.076 kg/m



2712 - 0.322 kg/m
100369 - 0.309 kg/m

FEATURES

- Shutter Depth : 27 mm
- Locking Type : Single & Multipoint Lock with Handle
- Glass Range : 5 mm To 18 mm
- Center Opening : Yes
- Window Height (Max.) : 2135mm
- Roller Capacity : 40/60/80/125/150 kg/pair




Laxmi Aluminium


Survey no. 286/001 B/h, Lubi Electronics, Nr. Shyam Status, S.P. Ring Road
AT-Valad, DIS-Gandhinagar, Gujarat 382355

+91 9428411799 | +91 7698411199 | +91 9979875499 | +91 7698311199


laxmialuminium1199@gmail.com




2918 - 0.482 kg/m




2901 - 1.075 kg/m
101220 - 0.964 kg/m




2902 - 1.813 kg/m
101221 - 1.713 kg/m




1003 - 0.778 kg/m




2936 - 0.209 kg/m




2933 - 0.442 kg/m




2934 - 0.707 kg/m




2935 - 0.917 kg/m




2925 - 0.863 kg/m



1009 - 0.192 kg/m



2926 - 1.322 kg/m



1002 - 0.435 kg/m

FEATURES

- Shutter Depth : 29 mm
- Locking Type : Single & Multipoint Lock with Handle
- Glass Range : 5 mm To 24 mm
- Center Opening : Yes
- Window Height (Max.) : 2440 mm
- Roller Capacity : 40/60/80/125/150 kg/pair




Laxmi Aluminium


Survey no. 286/001 B/h, Lubi Electronics, Nr. Shyam Status, S.P. Ring Road
AT-Valad, DIS-Gandhinagar, Gujarat 382355

+91 9428411799 | +91 7698411199 | +91 9979875499 | +91 7698311199


laxmialuminium1199@gmail.com




2905 - 1.090 kg/m
101222 - 0.823 kg/m




2907 - 0.805 kg/m
101223 - 0.759 kg/m




2906 - 0.985 kg/m
101224 - 0.912 kg/m





2914 - 1.156 kg/m




2911 - 0.583 kg/m
101225 - 0.533 kg/m



2915 - 0.413 kg/m




2910 - 0.413 kg/m
101226 - 0.364 kg/m




2929 - 0.822 kg/m


2908 -
101561 - 0.453 kg/m




2930 - 0.952 kg/m



2932 - 0.658 kg/m



2928 - 0.474 kg/m



1005 - 0.642 kg/m
101562 - 0.547 kg/m



1001 - 0.076 kg/m

FEATURES

Shutter Depth	: 29 mm
Locking Type	: Single & Multipoint Lock with Handle
Glass Range	: 5 mm To 24 mm
Center Opening	: Yes
Window Height (Max.)	: 2440 mm
Roller Capacity	: 40/60/80/125/150 kg/pair



Laxmi Aluminium


Survey no. 286/001 B/h, Lubi Electronics, Nr. Shyam Status, S.P. Ring Road
AT-Valad, DIS-Gandhinagar, Gujarat 382355

+91 9428411799 | +91 7698411199 | +91 9979875499 | +91 7698311199


laxmialuminium1199@gmail.com




HINDALCO
EXTRUSIONS




3501
100092 - 1.996 kg/m




3503
100090 - 3.484 kg/m




3502
100089 - 2.809 kg/m




3505
100094 - 1.326 kg/m




3504
100088 - 1.401 kg/m



3506
101394 - 1.326 kg/m



3507
100087 - 0.481 kg/m



3514 - 0.456 kg/m

FEATURES

- Shutter Depth : 35 mm
- Locking Type : Single & Multipoint Lock with Handle
- Glass Range : 5 mm To 20 mm
- Center Opening : Yes
- Window Height (Max.) : 2743 mm
- Roller Capacity : 80/125/200/350/450 kg/pair



Laxmi Aluminium


Survey no. 286/001 B/h, Lubi Electronics, Nr. Shyam Status, S.P. Ring Road
AT-Valad, DIS-Gandhinagar, Gujarat 382355

+91 9428411799 | +91 7698411199 | +91 9979875499 | +91 7698311199


laxmialuminium1199@gmail.com




HINDALCO
EXTRUSIONS




3703
100065 - 1.840 kg/m




3704 -
100069 - 2.678 kg/m




3705
100066 - 1.364 kg/m




3706
100070 - 1.295 kg/m




3707 -
100067 - 0.692 kg/m



3709
100068 - 0.722 kg/m



3708
101013 - 0.152 kg/m



3710 - 0.481 kg/m

FEATURES

Shutter Depth	: 37 mm
Locking Type	: Single & Multipoint Lock with Handle
Glass Range	: 5 mm To 24 mm
Center Opening	: Yes
Window Height (Max.)	: 2997 mm
Roller Capacity	: 200/250/300/350/450 kg/pair



Laxmi Aluminium


Survey no. 286/001 B/h, Lubi Electronics, Nr. Shyam Status, S.P. Ring Road
AT-Valad, DIS-Gandhinagar, Gujarat 382355

+91 9428411799 | +91 7698411199 | +91 9979875499 | +91 7698311199


laxmialuminium1199@gmail.com




HINDALCO
EXTRUSIONS




G-3701
101011 - 1.770 kg/m




3711
101576 - 1.840 kg/m




G-3702 - 2.574 kg/m
101576 - 1.840 kg/m




G-3706 - 1.295 kg/m
101576 - 1.840 kg/m



3712
101574 - 2.912 kg/m




G-3705 - 1.364 kg/m
101576 - 1.840 kg/m




G-3707
100067 - 0.692 kg/m



G-3708 - 0.152 kg/m
101576 - 1.840 kg/m



G-3710 - 0.481 kg/m



G-3709 - 0.722 kg/m
101576 - 1.840 kg/m

FEATURES

Shutter Depth	: 37 mm
Locking Type	: Single & Multipoint Lock with Handle
Glass Range	: 5 mm To 24 mm
Center Opening	: Yes
Window Height (Max.)	: 2743 mm
Roller Capacity	: 200/250/300/350/450 kg/pair



Laxmi Aluminium

Survey no. 286/001 B/h, Lubi Electronics, Nr. Shyam Status, S.P. Ring Road
AT-Valad, DIS-Gandhinagar, Gujarat 382355

+91 9428411799 | +91 7698411199 | +91 9979875499 | +91 7698311199


laxmialuminium1199@gmail.com



HINDALCO
EXTRUSIONS




1001 - 0.076 kg/m




1002 - 0.358 kg/m




1003 - 0.788 kg/m




1004 - 0.080 kg/m




1005 - 0.631 kg/m




1006 - 0.413 kg/m




1007 - 0.172 kg/m




1008 - 0.767 kg/m




1009 - 0.192 kg/m




1010 - 0.110 kg/m



1011 - 0.196 kg/m



1012 - 0.267 kg/m



1014 - 0.149 kg/m



2541 - 0.103 kg/m



2542 - 0.183 kg/m



Laxmi Aluminium

Survey no. 286/001 B/h, Lubi Electronics, Nr. Shyam Status, S.P. Ring Road
AT-Valad, DIS-Gandhinagar, Gujarat 382355

+91 9428411799 | +91 7698411199 | +91 9979875499 | +91 7698311199

laxmialuminium1199@gmail.com



Vantena Series

KIN LONG
For Better Living



Laxmi Aluminium

Survey no. 286/001 B/h, Lubi Electronics, Nr. Shyam Status, S.P. Ring Road
AT-Valad, DIS-Gandhinagar. Gujarat 382355

+91 9428411799 | +91 7698411199 | +91 9979875499 | +91 7698311199

laxmialuminium1199@gmail.com

